

10/036,378
EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	24	("5588147" "5600834" "5675802" "5787262" "5806074" "5845293" "5870759" "5870765" "5884323" "5884325" "5974238" "6006331" "6029178" "6049809" "6115394" "6212529" "6289357" "6295541" "6304881" "6370566").PN. OR ("6810405").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 12:53
L10	65	PIM same (data adj sets or database\$1) near8 synchron\$8	US-PGPUB; USPAT	OR	OFF	2006/05/25 12:59
L11	6	distinct near5 (data adj sets or database\$1) near8 synchron\$8	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:07
L12	2427	707/200.ccls.	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L14	36	("5088032" "5101451" "5251314").PN. OR ("5513323").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 13:08
L16	6	PIM same distinct near4 database\$1	USPAT	OR	OFF	2006/05/25 13:08
L17	3	PIM same distinct near4 database\$1 and format\$5 near5 (translat\$5 or transform\$5 or convert\$5)	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L18	8	PIM same distinct near4 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L21	31	application near4 program\$1 same distinct near4 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L22	173	PIM and (distinct or separate) near8 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L25	60	PIM and (distinct or separate) near8 database\$1 near8 (stor\$6)	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L26	4	PIM and (distinct or separate) near8 database\$1 near8 (stor\$6) same field\$3	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L27	15	(conver\$6 or translat\$6 or transform\$5) near5 data same distinct near5 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L28	15	automatic\$6 near5 stor\$5 near6 data near6 (different or distinct) near5 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L29	77	automatic\$6 same data same contacts same schedul\$6	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08

EAST Search History

L30	6	automatic\$6 same data same contacts same schedul\$6 same tasks	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L31	37352	IM	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L32	3928	PIM	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L33	106	PIM and contacts same schedul\$5	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L34	24	PIM and contacts same schedul\$5 same database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L35	1385	application adj program near2 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L36	153	(conver\$5 or translat\$5 or transform\$4) same application adj program near2 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L37	29	(conver\$5 or translat\$5 or transform\$4) same between same application adj program near2 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L38	37	(conver\$5 or translat\$5 or transform\$4) same between same application adj program\$1 near2 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L39	167	application adj program\$1 same separate near3 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L40	60	application adj program\$1 with separate near3 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L45	5	application adj program\$1 with separate near3 database\$1 same conver\$5	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L47	5	application adj program\$1 with distinct near3 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L48	1114	PDA same application near2 program\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L49	836	PDA same application near2 program\$1 and stor\$3 near2 data	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L51	1	PDA same application near2 program\$1 and calender	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L52	12	PIM same application near2 program\$1 and calender	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L53	25970	conver\$6 near4 data near4 format\$6	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L54	89	conver\$6 near4 data near4 format\$6 same distinct	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08

EAST Search History

L55	2	conver\$6 near4 data near4 format\$6 same distinct near6 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L56	3011	combin\$4 with schedul\$5	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L57	8	combin\$4 with schedul\$5 with contact\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L58	1066	(combin\$5 or synchroniz\$5 or match\$4) same PIM	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L59	24	(combin\$5 or synchroniz\$5 or match\$4) same PIM same tasks	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L62	79	(combin\$5 or synchroniz\$5 or match\$4) same PIM same scheduling	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L63	8	(combin\$5 or synchroniz\$5 or match\$4) same PIM same scheduling same contacts	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L64	71626	Microsoft	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L65	1683	Microsoft adj outlook	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L66	1	Microsoft adj outlook same distinct near2 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L68	271	Microsoft adj outlook same Calendar	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L69	280	(combin\$5 or synchroniz\$5 or match\$4) same PIM same calendar	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L70	21	(combin\$5 or synchroniz\$5 or match\$4) same PIM same calendar same contacts	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L71	1	Microsoft adj outlook same Calendar near automatic\$5	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L72	26	Microsoft adj outlook same Calendar near8 automatic\$5	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L74	1	Microsoft adj outlook same Calendar near8 automatic\$5 same (contact\$1 or note\$1 or task\$1)	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L75	19	stor\$4 near4 data near4 distinct near5 database\$1	USPAT	OR	OFF	2006/05/25 13:08
L77	2	(convert\$3 or translat\$4) near8 data near8 distinct near8 database\$1	USPAT	OR	OFF	2006/05/25 13:08

EAST Search History

L78	2	(convert\$3 or translat\$4) near8 data near8 distinct near8 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L79	39	(distinct or seperate or unique) near8 application near2 program near5 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L80	2	(distinct or seperate or unique) near8 application near2 program near5 database\$1 same convert\$5	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L81	56133	PDA	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L82	2006	PDA same data near5 storage	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L83	44	PDA same data near5 storage and database near2 field\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L84	3	PDA same data near5 storage and database near2 field\$1 same conver\$6	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L85	1114	PDA same application near2 program\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L86	72	PDA same application near2 program\$1 and PIM	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L87	22	PDA same application near2 program\$1 same PIM	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L88	1323	database near5 format near5 conver\$6	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L89	16	database near8 (multiple or plurality) near5 format near5 conver\$6	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L90	6	convert\$6 near5 data near6 between near6 databases	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L91	1424	715/523,764,780,781.ccls.	USPAT	OR	OFF	2006/05/25 13:08
L92	6799	707/10,100,203.ccls.	USPAT	OR	OFF	2006/05/25 13:08
L93	6	PIM same distinct near4 database\$1	USPAT	OR	OFF	2006/05/25 13:08
L96	173	PIM and (distinct or separate) near8 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L99	60	PIM and (distinct or separate) near8 database\$1 near8 (stor\$6)	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L100	77	automatic\$6 same data same contacts same schedul\$6	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L101	37352	IM	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08

EAST Search History

L102	3928	PIM	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L103	1385	application adj program near2 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L104	153	(conver\$5 or translat\$5 or transform\$4) same application adj program near2 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L105	37	(conver\$5 or translat\$5 or transform\$4) same between same application adj program\$1 near2 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L106	167	application adj program\$1 same separate near3 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L107	60	application adj program\$1 with separate near3 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L113	1114	PDA same application near2 program\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L114	836	PDA same application near2 program\$1 and stor\$3 near2 data	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L116	25970	conver\$6 near4 data near4 format\$6	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L117	89	conver\$6 near4 data near4 format\$6 same distinct	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L118	3011	combin\$4 with schedul\$5	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L119	1066	(combin\$5 or synchroniz\$5 or match\$4) same PIM	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L120	24	(combin\$5 or synchroniz\$5 or match\$4) same PIM same tasks	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L123	79	(combin\$5 or synchroniz\$5 or match\$4) same PIM same scheduling	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L124	71626	Microsoft	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L125	1683	Microsoft adj outlook	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L127	271	Microsoft adj outlook same Calendar	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L128	280	(combin\$5 or synchroniz\$5 or match\$4) same PIM same calendar	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L129	1	Microsoft adj outlook same Calendar near automatic\$5	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L130	26	Microsoft adj outlook same Calendar near8 automatic\$5	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08

EAST Search History

L133	2	(convert\$3 or translat\$4) near8 data near8 distinct near8 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L134	56133	PDA	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L135	2006	PDA same data near5 storage	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L136	44	PDA same data near5 storage and database near2 field\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L137	1114	PDA same application near2 program\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L138	72	PDA same application near2 program\$1 and PIM	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L139	1323	database near5 format near5 conver\$6	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L142	1	PDA same application near2 program\$1 and calender	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L143	1	Microsoft adj outlook same distinct near2 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L144	1	Microsoft adj outlook same Calendar near8 automatic\$5 same (contact\$1 or note\$1 or task\$1)	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L145	36	("5088032" "5101451" "5251314").PN. OR ("5513323").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/25 13:08
L146	3	PIM same distinct near4 database\$1 and format\$5 near5 (translat\$5 or transform\$5 or convert\$5)	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L147	8	PIM same distinct near4 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L148	31	application near4 program\$1 same distinct near4 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L149	4	PIM and (distinct or separate) near8 database\$1 near8 (stor\$6) same field\$3	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L150	15	(conver\$6 or translat\$6 or transform\$5) near5 data same distinct near5 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L151	15	automatic\$6 near5 stor\$5 near6 data near6 (different or distinct) near5 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L152	6	automatic\$6 same data same contacts same schedul\$6 same tasks	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08

EAST Search History

L153	106	PIM and contacts same schedul\$5	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L154	24	PIM and contacts same schedul\$5 same database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L155	29	(conver\$5 or translat\$5 or transform\$4) same between same application adj program near2 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L156	5	application adj program\$1 with separate near3 database\$1 same conver\$5	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L157	5	application adj program\$1 with distinct near3 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L158	12	PIM same application near2 program\$1 and calender	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L159	2	conver\$6 near4 data near4 format\$6 same distinct near6 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L160	8	combin\$4 with schedul\$5 with contact\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L161	8	(combin\$5 or synchroniz\$5 or match\$4) same PIM same scheduling same contacts	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L162	21	(combin\$5 or synchroniz\$5 or match\$4) same PIM same calendar same contacts	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L163	19	stor\$4 near4 data near4 distinct near5 database\$1	USPAT	OR	OFF	2006/05/25 13:08
L164	2	(convert\$3 or translat\$4) near8 data near8 distinct near8 database\$1	USPAT	OR	OFF	2006/05/25 13:08
L165	39	(distinct or seperate or unique) near8 application near2 program near5 database\$1	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L166	2	(distinct or seperate or unique) near8 application near2 program near5 database\$1 same convert\$5	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L167	3	PDA same data near5 storage and database near2 field\$1 same conver\$6	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L168	22	PDA same application near2 program\$1 same PIM	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L169	16	database near8 (multiple or plurality) near5 format near5 conver\$6	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08

EAST Search History

L170	6	convert\$6 near5 data near6 between near6 databases	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L171	2	("6697805" "6446075").pn.	USPAT	OR	OFF	2006/05/25 13:08
L172	12	(US-20010054072-\$ or US-20030030656-\$ or US-20040139076-\$ or US-20050192973-\$).did. or (US-5513323-\$ or US-5933778-\$ or US-5940845-\$ or US-6064977-\$ or US-6272545-\$ or US-6393442-\$ or US-6487599-\$ or US-6701376-\$ or US-6810405-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/05/25 13:08
L173	1	L172 and touch near2 screen	USPAT	OR	OFF	2006/05/25 13:08